

**Algorithm, Clinical Highlights, Annotations**

Key Implementation Recommendations: Added an additional study on cost effectiveness (Simon, 2008).

Added statement about ICSI's Patient Advisory Council reviewing the guideline.

Added an abbreviation list.

Introduction: Updated screening and care management recommendations (Prevention Practice Committee of the American College of Preventive Medicine, 2009; O'Connor, 2009).

- \* 1 Added statement about addressing and not dismissing co-existing medical complaints in patients with depression. Updated content on perinatal screening (Gaynes, 2005; O'Hara, 2009; Lancaster, 2009; Kozhimannil, 2009; Dorheim, 2009; Goyal, 2009; Ross, 2009; Yonkers, 2009; Gjerdingen, 2007).
- 2 Updated content on psychosocial stressors and the need for follow-up and monitoring (Fournier, 2010).
- \* 4 Moved content on bipolar disorder up so that assessment occurs earlier in the diagnostic process. Added information on somatoform disorder.
- 9 Clarified the findings of a study on depression and cardiac events (Whooley, 2008). Recognized HIV as a comorbid condition. Developed set of actionable bullets for cultural considerations.
- \*11 Added content on shared decision making for depression treatment options (O'Connor, 2007; Fournier, 2010) and additional support for behavioral activation (Mazzucchelli, 2009). Revised content on FDA warning statements for better clarity for accessing the information. Added additional content and literature for perinatal treatment based on depression severity (Wisner, 2009; Yonkers, 2009; O'Hara, 2009; DiScalea, 2009). Added additional content on antidepressants and lactating women (The Academy of Breastfeeding Medicine Protocol Committee, 2008; Weissman, 2004; DiScalea, 2009).
- \*14 Added new literature for atypical antipsychotics (Nelson, 2009), Repetitive transcranial magnetic stimulation (O'Reardon, 2007; Avery, 2008; Kennedy, 2009; Lisanby, 2009) and Deep Brain Stimulation (Malone, 2009).
- \*15 Noted the value of continued skill building and self-management practices learned through behavioral activation for continuation and maintenance of depression (Cujiupers, 2007; Vittengl, 2009; Mazzucchelli, 2009).

**Priority Aims & Suggested Measures, Measurement Specifications**

No changes

**Support for Implementation**

Updated the Resources Available table to include cancer, perinatal depression, and cultural resources.

*\*An asterisk indicates any changes in clinical practice recommendations*