



### Section 5: References

- Agency for Healthcare Research and Quality. Health Literacy Universal Precautions Toolkit. Available at: <http://www.ahrq.gov/qual/literacy/healthliteracytoolkit.pdf>. 2010
- Agency for Healthcare Research and Quality. Patient Centered Medical Home: Building the Medical Neighborhood Available at: [http://pcmh.ahrq.gov/portal/server.pt/community/pcmh\\_home/1483/PCMH\\_Home\\_Papers%20Briefs%20and%20Othe%20Resources\\_v2](http://pcmh.ahrq.gov/portal/server.pt/community/pcmh_home/1483/PCMH_Home_Papers%20Briefs%20and%20Othe%20Resources_v2).
- Allen JK, Dennison-Himmelfarb CR, Szanton SL, et al. Community outreach and cardiovascular health (COACH) trial: a randomized, controlled trial of nurse practitioner/community health worker cardiovascular disease risk reduction in urban community health centers. *Circ Cardiovasc Qual Outcomes* 2011;4:595-602.
- American Psychiatric Association. Practice guideline for the treatment of patients with major depressive disorder (revision 3rd edition, 2010). Available at: [http://www.psychiatryonline.com/pracGuide/pracGuideChapToc\\_7.aspx](http://www.psychiatryonline.com/pracGuide/pracGuideChapToc_7.aspx).
- Areán P, Hegel M, Vannoy S, et al. The effectiveness of problem solving therapy for older primary care patients with depression: results from the IMPACT project. *Gerontologist* 2008;48:311-23.
- Babor TF, McRee BG, Kassebaum PA, et al. Screening, Brief Intervention, and Referral to Treatment (SBIRT): Toward a public health approach to the management of substance abuse. *Subst Abus* 2007;28:7-30.
- Billings J, Blunt I, Steventon A, et al. Development of a Predictive Model to Identify Inpatients at Risk of Readmission Within 30 days of Discharge (PARR-30). *BMJ Open* 2012;2. pii: e001667.
- BlueCross Blue Shield of Michigan PGIP PCMH 2012 Interpretive Guidelines. Available at: [http://www.bcbsm.com/provider/value\\_partnerships/pgip/pcmh-initiatives.shtml](http://www.bcbsm.com/provider/value_partnerships/pgip/pcmh-initiatives.shtml).
- BOOST (Better Outcomes for Older Adults Through Safe Transitions) Project. Society of Hospital Medicine, 2010. Risk Assessment 8P Screening Tool. Available at: [http://www.hospitalmedicine.org/ResourceRoomRedesign/RR\\_CareTransitions/PDFs/Workbook\\_for\\_Improvement.pdf](http://www.hospitalmedicine.org/ResourceRoomRedesign/RR_CareTransitions/PDFs/Workbook_for_Improvement.pdf).
- Case Management Society of America. Standards of Practice. Available at: <http://www.cmsa.org/sop>.
- Cohen DJ, Crabtree BF, Etz RS, et al. Fidelity versus flexibility: translating evidence-based research into practice. *Am J Prev Med* 2008;35:S381-89.
- Coleman EA, California HealthCare Foundation. The Post-Hospital Follow-up Visit: A Physician Checklist to Reduce Readmissions. 2010.
- Creating Medication Safety. Pathways for Patient Safety, 2008. Health Research and Educational Trust, Institute for Safe Medication Practices, and Medical Group Management Association. Available at: <http://www.hret.org/quality/projects/pppsa.shtml>.
- Crowley MJ, Smith VA, Olsen MK, et al. Treatment intensification in a hypertension telemanagement trial: clinical inertia or good clinical judgment? *Hypertension* 2011;58:552-58.

- Davydow DS, Katon WJ, Lin EHB, et al. Depression and risk of hospitalizations for ambulatory sensitive conditions in patients with diabetes. *J Gen Intern Med* 28:921-29.
- Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: the adverse childhood experiences (ACE) study. *Am J Prev Med* 1998;14:245-58.
- Glied S, Herzog K, Frank R. Review: the net benefits of depression management in primary care. *Med Care Res Rev* 2010;67:251-74.
- Hegel M, Areán PA. Problem-Solving Treatment for Primary Care: A Treatment Manual for Project IMPACT. Dartmouth University. 2003. Available at: <http://www.public-health.uiowa.edu/icmha/outreach/documents/ProblemSolvingTreatment-forPrimaryCare.PDF>. Accessed April 22, 2011.
- Haverkamp R, Areán P, Hegel MT, Unützer J. Problem-solving Treatment for Complicated depression in late life: a case study in primary care. *Perspect Psychiatr Care* 2004;40:45-52.
- Hesselink G, Schoonhoven L, Barach P, et al. Improving Patient Handovers From Hospital to Primary Care: A Systematic Review. *Ann Intern Med* 2012;157:417-28.
- Huebschmann AG, Mizrahi T, Soenksen A, et al. Reducing clinical inertia in hypertension treatment: a pragmatic randomized controlled trial. *J Clin Hypertens* 2012;14:322-29.
- Improving Chronic Illness Care. Available at: <http://www.improvingchroniccare.org/>.
- Institute for Clinical Systems Improvement. Major Depression in Adults in Primary Care. 15th Edition, May 2012. Available at: [http://www.icsi.org/guidelines\\_and\\_more/gl\\_os\\_prot/behavioral\\_health/depression\\_5/depression\\_\\_major\\_\\_in\\_adults\\_\\_in\\_primary\\_care\\_4.html](http://www.icsi.org/guidelines_and_more/gl_os_prot/behavioral_health/depression_5/depression__major__in_adults__in_primary_care_4.html) Accessed June 7, 2012.
- Institute for Healthcare Improvement. How-to Guide: Improving Transitions from the Hospital to the Clinical Office Practice to Reduce Avoidable Rehospitalizations. 2012.
- Ishani A, Greer N, Taylor BC, et al. Effect of nurse case management compared with usual care on controlling cardiovascular risk factors in patients with diabetes: a randomized controlled trial. *Diabetes Care* 2011;34:1689-94.
- James PA, Oparil S, Carter BL, et al. 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the eighth joint national committee (JNC 8). *JAMA* 2014;311:507-20.
- Jonas DE, Garbutt JC, Brown JM, et al. Screening, Behavioral Counseling, and Referral in Primary Care to Reduce Alcohol Misuse. Comparative Effectiveness Review No. 64. (Prepared by the RTI International University of North Carolina Evidence-based Practice Center under Contract No. 290-2007-10056-I.) AHRQ Publication No. 12-EHC055-EF. Rockville, MD: Agency for Healthcare Research and Quality. Available at: [http://www.effectivehealthcare.ahrq.gov/ehc/products/269/1134/CER64\\_AlcoholMisuse\\_FinalReport\\_20120608.pdf](http://www.effectivehealthcare.ahrq.gov/ehc/products/269/1134/CER64_AlcoholMisuse_FinalReport_20120608.pdf). July 2012.
- Kansagara D, Englander H, Salanitro A, et al. Risk Prediction Models for Hospital Readmission: A Systematic Review. *JAMA* 2011;306:1688-98.
- Katon WJ, Lin EH, Von Korff M, et al. Collaborative Care for Patients with Depression and Chronic Illnesses. *N Engl J Med* 2010;363:2611-20.
- Katon W, Russo J, Lin EH, et al. Cost-effectiveness of a Multicondition Collaborative Care Intervention. *Arch Gen Psychiatry* 2012;69:506-14.
- Katon WJ, Von Korff M, Lin EH. The Pathways Study: a randomized trial of collaborative care in patients with diabetes and depression. *Arch Gen Psychiatry* 2004;61:1042-49.
- Kindig D, Stoddart G. What is population health? *Am J Public Health* 2003;93:380-83.

Klinkman MS, Bauroth S, Fedewa S, et al. Long-term clinical outcomes of care management for chronically depressed primary care patients: a report from the depression in primary care project. *Ann Fam Med* 2010;8:387-96.

Krumholz HM. Post-hospital syndrome – an acquired, transient condition of generalized risk. *N Engl J Med* 2013;368:100-02.

Lin E, Von Korff M, Ciechanowski P, et al. Treatment Adjustment and Medication Adherence for Complex Patients With Diabetes, Heart Disease, and Depression: A Randomized Controlled Trial. *Ann Fam Med* 2012;10:6-14.

Malouff JM, Thorsteinsson EB, Schutte NS. The efficacy of problem solving therapy in reducing mental and physical health problems: A meta-analysis. *Clin Psychol Rev* 2007;27:46-57.

McGregor M, Katon W, Lin E, TEAMcare Research Group. TEAMcare Intervention Manual. University of Washington and Group Health Cooperative. Available at: <http://www.teamcarehealth.org/Portals/0/Documents/TEAMcare%20Intervention%20Manual%202011-09-06.pdf>. 2011.

Miller WR, Rollnick S. Ten Things that Motivational Interviewing is Not. Behavioral and Cognitive Psychotherapy. *Behav Cogn Psychother* 2009;37:129-40.

Minnesota Health Literacy Partnership. Available at: <http://healthliteracymn.org/resources/presentations-and-training>.

Montori VM, Brito JP, Murad MH. The optimal practice of evidence-based medicine: incorporating patient preferences in practice guidelines. *JAMA* 2013;310:2503-04.

Morisky DE, Green LW, Levine DM. Concurrent and predictive validity of a self-reported measure of medication adherence. *Med Care* 1986;24:67-74.

New York Academy of Medicine. The Promise of Care Coordination. Available at: <http://www.nyam.org/social-work-leadership-institute/docs/publications/N3C-Promiseof-Care-Coordination.pdf>.

National Transitions of Care Coalition. Available at: <http://www.ntocc.org/>.

Readiness Ruler. Available at: [http://www.adultmededucation/downloads/Readiness-to-Change\\_INSTR.pdf](http://www.adultmededucation/downloads/Readiness-to-Change_INSTR.pdf).

REALM SF Assessment tool. Available at: <http://www.ahrq.gov/populations/sahisatool.htm>.

Rosenberg D, Lin E, Peterson D, et al. Integrated medical care management and behavioral risk factor reduction for multi-condition patients: behavioral outcomes of the TEAMcare trial. *Gen Hosp Psychiatry* 2014;36:129-34.

Schillinger D, Piette J, Grumbach K, et al. Closing the loop: physician communication with diabetic patients who have low health literacy. *Arch Intern Med* 2003;163:83-90.

Shippee ND, Shah ND, May CR, et al. Cumulative complexity: a functional, patient-centered model of patient complexity can improve research and practice. *J Clin Epidemiol* 2012;65:1041-51.

Society of Hospital Medicine. Risk Assessment 8P Screening Tool. Project BOOST (Better Outcomes for Older Adults Through Safe Transitions). 2010.

Starfield B, Lemke KW, Bernhardt T, et al. Comorbidity: implications for the importance of primary care in ‘case’ management. *Ann Fam Med* 2003;1:8-14.

Stone NJ, Robinson JG, Lichtenstein AH, et al. 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: a report of the American college of cardiology/American heart association task force on practice guidelines. *Circulation* 2014;129:S1-S45.

TEAMcare (Manual, tools, resources). Available at: <http://www.teamcarehealth.org/Resources.aspx>.

Unützer J, Katon W, Callahan CM, et al. Collaborative care management of late-life depression in the primary care setting. *JAMA* 2002;288:2836-45.