

The subdivisions of this section are:

- References

## References

- Albers GW, Goyal M, Jahan R, et al. Relationships between imaging assessments and outcomes in solitaire with the intention for thrombectomy as primary endovascular treatment for acute ischemic stroke. *Stroke* 2015;46:2786-94.
- AVERT Trial Collaboration group, Bernhardt J, Langhorne P, et al. Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. *Lancet* 2015;386:46-55.
- Baldereschi M, Piccardi B, Di Carlo A, et al. Relevance of prehospital stroke code activation for acute treatment measures in stroke care: a review. *Cerebrovasc Dis* 2012;34:182-90.
- Bath PM, Krishnan K. Interventions for deliberately altering blood pressure in acute stroke. *Cochrane Database Syst Rev* 2014;(10):CD000039.
- Bennett MH, Weibel S, Wasiak J, et al. Hyperbaric oxygen therapy for acute ischaemic stroke. *Cochrane Database Syst Rev* 2014;(11):CD004954.
- Berge E, Cohen G, Lindley RI, et al. Effects of blood pressure and blood pressure-lowering treatment during the first 24 hours among patients in the third international stroke trial of thrombolytic treatment for acute ischemic stroke. *Stroke* 2015;46:3362-69.
- Borst J, Berkhemer OA, Roos YB, et al. Value of computed tomographic perfusion-based patient selection for intra-arterial acute ischemic stroke treatment. *Stroke* 2015;46:3375-82.
- Brandler ES, Sharma M, Sinert RH, Levine SR. Prehospital stroke scales in urban environments: a systematic review. *Neurology* 2014;82:2241-49.
- Burton KR, Dhanoa D, Aviv RI, et al. Perfusion CT for selecting patients with acute ischemic stroke for intravenous thrombolytic therapy. *Radiology* 2015;274:103-14.
- Centers for Disease Control and Prevention. Stroke fact sheet. Available at: [http://www.cdc.gov/dhdsp/data\\_statistics/fact\\_sheets/docs/fs\\_stroke.pdf](http://www.cdc.gov/dhdsp/data_statistics/fact_sheets/docs/fs_stroke.pdf). 2016.
- Chung HJ, Lee BH, Hwang YJ, et al. Delayed-phase CT angiography is superior to arterial-phase CT angiography at localizing occlusion sites in acute stroke patients eligible for intra-arterial reperfusion therapy. *J Clin Neurosci* 2014;21:596-600.
- Demaerschalk BM, Bobrow BJ, Raman R, et al. CT interpretation in a telestroke network: agreement among a spoke radiologist, hub vascular neurologist, and hub neuroradiologist. *Stroke* 2012a;43:3095-97.
- Demaerschalk BM, Raman R, Ernstrom K, Meyer BC. Efficacy of telemedicine for stroke: pooled analysis of the stroke team remote evaluation using a digital observation camera (STRoKE DOC) and STRoKE dOC Arizona telestroke trials. *Telemed J E Health* 2012b;18:230-37.
- Ekundayo OJ, Saver JL, Fonarow GC, et al. Patterns of emergency medical services use and its association with timely stroke treatment: findings from get with the guidelines-stroke. *Circ Cardiovasc Qual Outcomes* 2013;6:262-69.
- Galinovic I, Puig J, Neeb L, et al. Visual and region of interest-based inter-rater agreement in the assessment of the diffusion-weighted imaging- fluid-attenuated inversion recovery mismatch. *Stroke* 2014;45:1170-72.
- Goyal M, Menon BK, van Zwam WH, et al. Endovascular thrombectomy after large-vessel ischaemic stroke: a meta-analysis of individual patient data from five randomised trials. *Lancet* 2016;387:1723-31.
- He J, Zhang Y, Xu T, et al. Effects of immediate blood pressure reduction on death and major disability in patients with acute ischemic stroke: the CATIS randomized clinical trial. *JAMA* 2014;311:479-89.

## References

- Kidwell CS, Wintermark M, De Silva DA, et al. Multiparametric MRI and CT models of infarct core and favorable penumbral imaging patterns in acute ischemic stroke. *Stroke* 2013;44:73-79.
- Kochanek KD, Murphy SL, Xu J, Arias E. Mortality in the United States, 2013. *NCHS Data Brief* 2014;(178):1-8.
- Lee M, Ovbiagele B, Hong KS, et al. Effect of blood pressure lowering in early ischemic stroke: meta-analysis. *Stroke* 2015;46:1883-89.
- Lemmens R, Hamilton SA, Liebeskind DS, et al. Effect of endovascular reperfusion in relation to site of arterial occlusion. *Neurology* 2016;86:762-70.
- Lin L, Bivard A, Levi CR, Parsons MW. Comparison of computed tomographic and magnetic resonance perfusion measurements in acute ischemic stroke: back-to-back quantitative analysis. *Stroke* 2014;45:1727-32.
- Malekzadeh J, Shafae H, Behnam H, Mirhaghi A. The effect of Cincinnati prehospital stroke scale on telephone triage of stroke patients: evidence-based practice in emergency medical services. *Int J Evid Based Healthc* 2015;13:87-92.
- Menon BK, d'Esterre CD, Qazi EM, et al. Multiphase CT angiography: a new tool for the imaging triage of patients with acute ischemic stroke. *Radiology* 2015;275:510-20.
- Meyer BC, Raman R, Ernstrom K, et al. Assessment of long-term outcomes for the STRoKE DOC telemedicine trial. *J Stroke Cerebrovasc Dis* 2012;21:259-64.
- Michel P, Ntaios G, Reichhart M, et al. Perfusion-CT guided intravenous thrombolysis in patients with unknown-onset stroke: a randomized, double-blind, placebo-controlled, pilot feasibility trial. *Neuroradiology* 2012;54:579-88.
- Minnerup J, Ritter MA, Wersching H, et al. Continuous positive airway pressure ventilation for acute ischemic stroke: a randomized feasibility study. *Stroke* 2012;43:1137-39.
- Mozzafarian D, Benjamin EJ, Go AS, et al. Heart disease and stroke statistics – 2015 update: a report from the American heart association. *Circulation* 2015:e29-322.
- Nagakane Y, Christensen S, Ogata T, et al. Moving beyond a single perfusion threshold to define penumbra: a novel probabilistic mismatch definition. *Stroke* 2012;43:1548-55.
- Oostema JA, Konen J, Chassee T, et al. Clinical predictors of accurate prehospital stroke recognition. *Stroke* 2015;46:1513-17.
- Oostema JA, Nasiri M, Chassee T, Reeves MJ. The quality of prehospital ischemic stroke care: compliance with guidelines and impact on in-hospital stroke response. *J Stroke Cerebrovasc Dis* 2014;23:2773-79.
- Paciaroni M, Agnelli G, Falocci N, et al. Early recurrence and cerebral bleeding in patients with acute ischemic stroke and atrial fibrillation: effect of anticoagulation and its timing: the RAF study. *Stroke* 2015;46:2175-82.
- Panezai S, Gezmu T, Kirmani J, et al. Compliance with joint commission measures in state-designated stroke centers. *J Hosp Med* 2014;9:88-93.
- Power M, Tyrrell PJ, Rudd AG, et al. Did a quality improvement collaborative make stroke care better? A cluster randomized trial. *Implement Sci* 2014;9:40.
- Rosso C, Pires C, Corvol JC, et al. Hyperglycaemia, insulin therapy and critical penumbral regions for prognosis in acute stroke: further insights from the INSULINFARCT trial. *PLoS One* 2015;10:e0120230.

**References**

- Rothwell PM, Algra A, Chen Z, et al. Effects of aspirin on risk and severity of early recurrent stroke after transient ischaemic attack and ischaemic stroke: time-course analysis of randomised trials. *Lancet* 2016;388:365-75.
- Rudd M, Buck D, Ford GA, Price CI. A systematic review of stroke recognition instruments in hospital and prehospital settings. *Emerg Med J* 2015.
- Sanelli PC, Sykes JB, Ford AL, et al. Imaging and treatment of patients with acute stroke: an evidence-based review. *AJNR Am J Neuroradiol* 2014;35:1045-51.
- Sarraj A, Sangha N, Hussain MS, et al. Endovascular therapy for acute ischemic stroke with occlusion of the middle cerebral artery M2 segment. *JAMA Neurol* 2016;73:1291-96.
- Schönenberger S, Uhlmann L, Hacke W, et al. Effect of conscious sedation vs general anesthesia on early neurological improvement among patients with ischemic stroke undergoing endovascular thrombectomy: a randomized clinical trial. *JAMA* 2016;316:1986-96.
- Schröder J, Cheng B, Ebinger M, et al. Validity of acute stroke lesion volume estimation by diffusion-weighted imaging-Alberta stroke program early computed tomographic score depends on lesion location in 496 patients with middle cerebral artery stroke. *Stroke* 2014;45:3583-88.
- Spokorny I, Raman R, Ernstrom K, et al. Pooled assessment of computed tomography interpretation by vascular neurologists in the STRoke DOC telestroke network. *J Stroke Cerebrovasc Dis* 2014;23:511-15.
- Streib CD, Hartman LM, Molyneaux BJ. Early decompressive craniectomy for malignant cerebral infarction: meta-analysis and clinical decision algorithm. *Neurol Clin Pract* 2016;6:433-43.
- Switzer JA, Singh R, Mathiassen L, et al. Telestroke: variations in intravenous thrombolysis by spoke hospitals. *J Stroke Cerebrovasc Dis* 2015;24:739-44.
- van den Wijngaard IR, Boiten J, Holswilder G, et al. Impact of collateral status evaluated by dynamic computed tomographic angiography on clinical outcome in patients with ischemic stroke. *Stroke* 2015;46:3398-404.
- Wang Q, Chen C, Chen XY, et al. Low-molecular-weight heparin and early neurologic deterioration in acute stroke caused by large artery occlusive disease. *Arch Neurol* 2012;69:1454-60.
- Zhao R, Liu FD, Wang S, et al. Blood pressure reduction in the acute phase of an ischemic stroke does not improve short- or long-term dependency or mortality: a meta-analysis of current literature. *Medicine (Baltimore)* 2015;94:e896.