

The subdivisions of this section are:

- References

[Return to Table of Contents](#)

References

- AVERT Trial Collaboration group, Bernhardt J, Langhorne P, Lindley, RI, et al. Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. *Lancet* 2015;386:46-55.
- Adams, RJ, Cox, M, Ozark, SD, et al. Coexistent sickle cell disease has no impact on the safety or outcome of lytic therapy in acute ischemic stroke findings from get with the guidelines-stroke. *Stroke* 2017;48:686-91.
- Albers, GW, Marks, MP, Kemp, S, et al. for the DEFUSE 3 Investigators. Thrombectomy for stroke at 6 to 16 hours with selection by perfusion imaging. *N Engl J Med* 2018;378:708-18.
- Berkhemer, OA, Jansen, IG, Beumer, D, et al. Collateral status on baseline computed tomographic angiography and intra-arterial treatment effect in patients with proximal anterior circulation stroke. *Stroke* 2016 Mar;47(3):768-76.
- Campbell, BCV, Mitchell, PJ, Churilov, L, et al. for the EXTEND-IA TNK Investigators. Tenecteplase versus alteplase before thrombectomy for ischemic stroke. *N Engl J Med* 2018;378:1573-82.
- Centers for Disease Control and Prevention. Stroke fact sheet. Available at: http://www.cdc.gov/dhdspl/data_statistics/fact_sheets/docs/fs_stroke.pdf. 2016.
- Chacon-Portillo MA, Llinas RH, Marsh, EB. Cerebral microbleeds shouldn't dictate treatment of acute stroke: a retrospective cohort study evaluating risk of intracerebralhemorrhage. *BMC Neurology* (2018) 18:33.
- Charidimou, A, Turc, G, Oppenheim, C, et al. Microbleeds, cerebral hemorrhage, and functional outcome after stroke thrombolysis. *Stroke* 2017 Aug;48(8):2084-90.
- Eker, OF, Panni, P, Dargazanli, C, et al. Anterior circulation acute ischemic stroke associated with atherosclerotic lesions of the cervical ICA: A nosologic entity apart. *Am J Neuroradiol* 2017 Nov;38(11):2138-45.
- Ekundayo OJ, Saver JL, Fonarow GC, et al. Patterns of emergency medical services use and its association with timely stroke treatment: findings from get with the guidelines-stroke. *Circ Cardiovasc Qual Outcomes* 2013;6:262-69.
- Furlan A, Higashida R, Wechsler, L, et al. Intra-arterial prourokinase for acute ischemic stroke. The PROACT II study: a randomized controlled trial. Prolyse in acute cerebral thromboembolism. *JAMA* 1999;282(21):2003-11.
- Goyal, M, Fisher, M. Variance of imaging protocols for patients with suspected acute ischemic stroke because of large-vessel occlusion. *Stroke* 2018;49:1805–08.
- Gravel G, Boulouis G, Benhassen W, Rodriguez-Regent, C, et al. Anaesthetic management during intracranial mechanical thrombectomy: systematic review and meta-analysis of current data. *J Neurol Neurosurg Psychiatry* 2019;90:68-74.
- Jadhav, AP, Desai, SM, Kenmuir, CL, et al. Eligibility for endovascular trial enrollment in the 6- to 24-hour time window: Analysis of a single comprehensive stroke center. *Stroke* 2018 Apr;49(4):1015-1017.
- Khan MT, Ikram A, Saeed O, et al. (December 23, 2017) Deep vein thrombosis in acute stroke – A systemic review of the literature. *Cureus* 9(12): e1982.
- Kochanek KD, Murphy SL, Xu J, Arias E. Mortality in the United States, 2013. NCHS Data Brief 2014;(178):1-8.
- Lemmens R, Hamilton SA, Liebeskind DS, et al. Effect of endovascular reperfusion in relation to site of arterial occlusion. *Neurology* 2016;86:762-70.

References

- Mozaffarian D, Benjamin EJ, Go AS, et al. Heart disease and stroke statistics – 2015 update: a report from the American heart association. *Circulation* 2015;131:e29-322.
- Nagaraja,N, Tasneem, N, Shaban, A, et al. Cerebral microbleeds are an independent predictor of hemorrhagic transformation following intravenous alteplase administration in acute ischemic stroke. *J Stroke Cerebrovasc Dis* 27(5):1403 -11,2018.
- Neugebauer, H, Schneider, H, Bösel, J, et al. Outcomes of hypothermia in addition to decompressive hemicraniectomy in treatment of malignant middle cerebral artery stroke a randomized clinical trial. *JAMA Neurol* 2019 Jan 18. doi:10.1001/jamaneurol.2018.4822.
- Nogueira, RG, Jadhav, AP, Haussen, DC, Bonafe, A, et al., for the DAWN Trial Investigators. Thrombectomy 6 to 24 Hours after Stroke with a Mismatch between Deficit and Infarct. *N Engl J Med* 2018;378:11-21.
- Rizvi A, Seyedsaadat SM, Murad MH, et al. Redefining ‘success’: a systematic review and meta-analysis comparing outcomes between incomplete and complete revascularization. *J Neurointerv Surg* 11:9–13, 2019.
- Sandercock PAG, Leong TS. Low-molecular-weight heparins or heparinoids versus standard unfractionated heparin for acute ischaemic stroke. *Cochrane Database of Sys Rev* Apr 4 2017;4: CD000119. DOI: 10.1002/14651858.CD000119.pub4.
- Sherman, DG, Albers, GW, Bladin,C, et al. on behalf of the PREVAIL Investigators* The efficacy and safety of enoxaparin versus unfractionated heparin for the prevention of venous thromboembolism after acute ischaemic stroke (PREVAIL Study): an open-label randomised comparison. *Lancet* 369: 1347–55, 2017.
- Shoamanesh, A, Charidimou, A, Sharma, M, Hart, RG. Should patients with ischemic stroke or transient ischemic attack with atrial fibrillation and microbleeds be anticoagulated? *Stroke* 48:3408–12, 2017.
- Schönenberger S, Uhlmann L, Hacke W, et al. Effect of conscious sedation vs general anesthesia on early neurological improvement among patients with ischemic stroke undergoing endovascular thrombectomy: a randomized clinical trial. *JAMA* 2016;316:1986-96.
- Simonsen, CZ, Yoo, AJ, Sørensen, LH, et al. Effect of general anesthesia and conscious sedation during endovascular therapy on infarct growth and clinical outcomes in acute ischemic stroke: A randomized clinical trial. *JAMA Neurol* Apr 1;75(4):470-77, 2018.
- Whiteley, WN, Adams, HP Jr, Bath, PM, et al. Targeted use of heparin, heparinoids, or low-molecular-weight heparin to improve outcome after acute ischaemic stroke: an individual patient data meta-analysis of randomised controlled trials. *Lancet Neurol* 12:539–45, 2013.
- Zand, R, Shahjouei, S, Tsivgoulis, G, et al. Cerebral Microbleeds are Associated with Higher Mortality Among Ischemic Stroke Patients. *J Stroke Cerebrovasc Dis* 2018 Nov;27(11):3036-42, 2018.

[Return to Table of Contents](#)