## References

Agar M, Luckett T, Luscombe G, et al. Effects of facilitated family case conferencing for advanced dementia: a cluster randomised clinical trial. *PLoS ONE* 2017;12:e0181020.

Anandarajah G, Hight E. Spirituality and medical practice: using the HOPE questions as a practical tool for spiritual assessment. *Am Fam Physicians* 2001;63:81-89.

Arnold R. Fast fact and concept #055: decision making capacity. Available at: https://www.mypcnow.org/fast-fact/decision-making-capacity/. Accessed on July 24, 2006.

Aslakson R, Dy SM, Wilson RF, et al. Assessment Tools for Palliative Care. Technical Brief No. 30 (Prepared by Johns Hopkins University under Contract No. 290-2015-00006-I.) AHRQ Publication No. 14-17-EHC007-EF. Rockville, MD: Agency for Healthcare Research and Quality; May 2017. www. effectivehealthcare.ahrq.gov/reports/final.cfm. doi: https://effectivehealthcare.ahrq.gov/sites/default/files/pdf/palliative-care-tools\_technical-brief-2017.pdf.

Astrow AB, Puchalski CM, Sulmasy DP. Religion, spirituality, and health care: social, ethical, and practical considerations. *Am J Med* 2001;110:283–87.

Baile WF, Buckman R, Lenzi R, et al. SPIKES – a six-step protocol for delivering bad news: application to the patient with cancer. *The Oncologist* 2000;5:302-11.

Bakitas M, Lyons KD, Hegel MT, et al. Effects of a palliative care intervention on clinical outcomes in patients with advanced cancer: the project ENABLE II randomized controlled trial. *JAMA* 2009;302:741-49.

Balaban RB. A physician's guide to talking about end-of-life care. J Gen Intern Med 2000;15:195-200.

Balboni TA, Balboni MJ. The Spiritual Event of Serious Illness. J Pain Symptom Manage 2018;56:816-22.

Balboni TA, Paulk ME, Balboni MJ, et al. Provision of spiritual care to patients with advanced cancer: associations with medical care and quality of life near death. *J Clin Oncol* 2010;28:445-52.

Balboni TA, Vanderwerker LC, Block SD, et al. Religiousness and spiritual support among advanced cancer patients and associations with end-of-life treatment preferences and quality of life. *J Clin Oncol* 2007;25:555-60.

Barnes H, McDonald J, Smallwood N, Manser R. Opioids for the palliation of refractory breathlessness in adults with advanced disease and terminal illness. Cochrane Database Syst Rev. 2016 31;3:CD011008.

Baxter A. 2017 Hospice and home health Medicare utilization trends. Home Health Care News. June 4, 2018.

Bélanger E, Rodríguez C, Groleau D. Shared decision-making in palliative care: a systematic mixed studies review using narrative synthesis. *Palliat Med* 2011;25:242-61.

Berwick DM, Nolan TW, Whittington J. The triple aim: care, health, and cost. Health Affairs 2008;27:759-69.

Block SD. Assessing and managing depression in the terminally ill patient. *Ann Intern Med* 2000;132:209-18.

Block SD. Psychological issues in end-of-life care. *J Palliat Med* 2006;9:751-72.

Bomba PA, Kemp M, Black JS. POLST: An improvement over traditional advance directives. Cleveland Clinic *J of Med* 2012;79:457-64.

Brinkman-Stoppelenburg A, Rietjens JA, van der Heide A. The effects of advance care planning on end-of-life care: a systematic review. *Palliat Med* 2014;28:1000-25.

Return to Table of Contents

www.icsi.org

Brody H, Campbell ML, Faber-Langendoen K, Ogle KS. Withdrawing intensive life-sustaining treatment – recommendations for compassionate clinical management. *N Engl J Med* 1997;336:652-57.

Buchanan HLK, Geubtner MD, Snyder CK. Trauma bereavement program: review of development and implementation. *Crit Care Nurs Q* 1996;19:35-45.

Buckman R. Breaking bad news: why is it still so difficult? Brit Med J 1984;288:1597-99.

Cagle JG, Zimmerman S, Cohen LW, et al. EMPOWER: an intervention to address barriers to pain management in hospice. *J Pain Symptom Manage* 2015;49:1-12.

Chambers WA. Nerve blocks in palliative care. *Br J Anaesth* 2008;101:95-100.

Chang VT, Hwang SS, Feuerman M. Validation of the Edmonton symptom assessment scale. *Cancer* 2000;88:2164-71.

Chi NC, Demiris G. Family Caregivers' Pain Management in End-of-Life Care: A Systematic Review. *Am J Hosp Palliat Care* 2017;34:470-485.

Childers JW, Back AL, Tulsky JA, Arnold RM. REMAP: A framework for goals of care conversations. *J Onc Pract* 2017;12:10:e844-e850.

Chocinov HM. Bereavement: a review for oncology health professionals. *Cancer Investigation* 1989;7:593-600.

Chochinov HM. Dying, dignity, and new horizons in palliative end-of-life care. *CA Cancer J Clin* 2006;56:84-103.

Cuezze JE, Sinclair CT. Fast fact and concept #136: medical futility. Available at: https://www.mypcnow.org/fast-fact/medical-futility/. Accessed on July 24, 2006.

Curtis JR, Patrick DL, Shannon SE, et al. The family conference as a focus to improve communication about end-of-life care in the intensive care unit: opportunities for improvement. *Crit Care Med* 2001;29:N26-N33.

Curtis JR, Engelberg RA, Wenrich MD, et al. Studying communication about end-of-life care during the ICU family conference: development of a framework. *J of Crit Care* 2002;17:147-60.

Doughty EA. Investigating adaptive grieving styles: A dephi study. Death Studies 2009;33:462-80.

Ehman JW, Ott BB, Short TH, et al. Do patients want physicians to inquire about their spiritual or religious beliefs if they become gravely ill? *Arch Intern Med* 1999;159:1803-06.

Ellershaw J, Ward C. Care of the dying patient: the last hours or days of life. BMJ 2003;326:30-4.

Ellifritt J, Nelson KA, Walsh D. Complicated bereavement: a national survey of potential risk factors. *Am J Hosp Palliat Care* 2003;20:114-20.

Ellis PM, Tattersall MH. How should doctors communicate the diagnosis of cancer to patients? *Ann Med* 1999:31:336-41.

Elwyn G, Deblendorf C, Epstein RM, et al. Shared decision making and motivational interviewing: Achieving patient-centered care across the spectrum of health care problems. *Ann Fam Med* 2014;12:270-5.

Ferrell BR, Temel JS, Temin S, et al. Integration of Palliative Care Into Standard Oncology Care: American Society of Clinical Oncology Clinical Practice Guideline Update. *J Clin Oncol* 2016;35:96-112.

Green E, Ward S, Brierley W. They Shouldn't Be Coming to the ED, Should They?": A Descriptive Service Evaluation of Why Patients With Palliative Care Needs Present to the Emergency Department. *Am J Hosp Palliat Care* 2017 Dec;34:984-90.

Return to Table of Contents

www.icsi.org

Gries CJ, Curtis JR, Wall RJ, Engelberg RA. Family member satisfaction with end-of-life decision making in the ICU. *CHEST* 2008;133:704-12

Griffin JP, Koch KA, Nelson JE, Colley ME. Palliative care consultation, quality-of-life measurements, and bereavement for end-of-life care in patients with lung cancer: ACCP evidence-based clinical practice guidelines (2nd edition). *CHEST* 2007;132:404S-22S.

Hallenbeck J. Fast fact and concept #032: grief and bereavement (part 1). Available at: https://www.mypcnow.org/fast-fact/grief-and-bereavement/. September 19, 2005.

Hickman SE, Keevern E, Hammes BJ. Use of the physician orders for life-sustaining treatment program in the clinical setting: a systematic review of the literature. *J Am Geriatr Soc* 2015 Feb;63:341-50.

Huang CH, Crowther M, Allen RS, et al. A pilot feasibility intervention to increase advance care planning among African Americans in the deep south. *J Palliat Med* 2016 Feb;19(2):164-73.

Jennings LA, Zingmond D, Louie R, et al. Use of the physician orders for life-sustaining treatment among California nursing home residents. *J Gen Intern Med* 2016;31:1119-26.

Joseph R, Brown-Manhertz D, Ikwuazom S, Singleton JK. The effectiveness of structured interdisciplinary collaboration for adult home hospice patients on patient satisfaction and hospital admissions and re-admissions: a systematic review. *JBI Database System Rev Implement Rep* 2016;14:108-39.

Julião M, Barbosa A Oliveira F, et al. Efficacy of dignity therapy for depression and anxiety in terminally ill patients: early results of a randomized controlled trial. *Palliat Support Care* 2013;11:481-9.

Kagawa-Singer M, Blackhall LJ. Negotiating cross-cultural issues at the end of life: "you got to go where he lives." *JAMA* 2001;286:2993-3001

Kamal AH, Maguire JM, Wheeler JL, et al. Dyspnea review for the palliative care professional: treatment goals and therapeutic options. *J of Pall Med* 2012:15;106-14.

Kass-Bartelmes BL, Hughes R. Advance care planning: preferences for care at the end of life. *J Pain Palliat Care Pharmacother* 2004;18:87-109.

Kavalieratos D, Corbelli J, Zhang D, et al. Association between palliative care and patient and caregiver outcomes: A systematic review and meta-analysis. *JAMA* 2016 Nov 22;316:2104-14.

Kelly AS, Morrison RS. Palliative care for the seriously ill. N Engl J Med 2015;373:747-55.

Kemp C. Cultural issues in palliative care. Seminars in Oncology Nurs 2005;21:44-52.

Kennedy C, Brooks-Young P, Brunton Gray C, et al. Diagnosing dying: an integrative literature review. *BMJ* 2014;4:263-70.

Khandelwal N, Kross EK, Engelberg RA, et al. Estimating the effect of palliative care interventions and advance care planning on ICU utilization: a systematic review. *Crit Care Med* 2015;43:1102-11.

King SD, Fitchett G, Murphy PE, et al. Determining best methods to screen for religious/spiritual distress. *Support Care Cancer* 2017;25:471-479.

Lamba S, DeSandre PL, Todd KH, et al. Integration of palliative care into emergency medicine: the Improving Palliative Care in Emergency Medicine (IPAL-EM) collaboration. *J Emerg Med* 201;46:264-70.

Lamont EB, Christakis NA. Prognostic disclosure to patients with cancer near the end of life. *Ann Intern Med* 2001;134:1096-1105.

LeBrocq P, Charles A, Chan T, Buchanan M. Establishing a bereavement program: caring for bereaved families and staff in the emergency department. *Accid Emerg Nurs* 2003;11:85-90.

Lee SJ, Back AL, Block SD, Stewart SK. Enhancing physician-patient communication. *Hematology Am Soc Hematol Educ Program* 2002;464-83. (Low Quality Evidence)

Leininger MM. Transcultural care diversity and universality: a theory of nursing. *Nurs Health Care* 1985;6:208-12. (Low Quality Evidence)

Lorenz KA, Lynn J, Dy SM, et al. Evidence for improving palliative care at the end of life: a systematic review. *Ann Intern Med* 2008;148:147-59. (Systematic Review)

Lutz S, Balboni T, Jones J, et al. Palliative radiation therapy for bone metastases: Update of an ASTRO Evidence-Based Guideline. *Practical Radiation Oncology* 2017;7:4-12.

MacKenzie MA, Smith-Howell E, Bomba PA, Meghani SH. Respecting choices and related models of advance care planning: A systematic review of published evidence. *Am J Hosp Palliat Care* 2018;35:897-907.

Makoul G, Clayman ML. An integrative model of shared decision making in medical encounters. *Patient Educ Couns* 2006;60:301-12.

Maugans TA. The SPIRITual history. Arch Fam Med 1996;5:11-16. (Low Quality Evidence)

McDonagh JR, Elliott TB, Engelberg RA, et al. Family satisfaction with family conferences about endof-life care in the intensive care unit: increased proportion of family speech is associated with increased satisfaction. *Crit Care Med* 2004;32:1484-88. (Low Quality Evidence)

Moneymaker K. The family conference. J Palliative Med 2005;8:157. (Low Quality Evidence)

Moro C, Brunelli C, Miccinesi G, et al. Edmonton symptom assessment scale: Italian validation in two palliative care settings. *Support Care Cancer* 2006;14:30-37. (Low Quality Evidence)

Morrison RS, Meier DE. Palliative care. N Engl J Med 2004;350:2582-90. (Low Quality Evidence)

Morrison RS, Penrod JD, Cassel B, et al. Cost savings associated with US hospital palliative care consultation programs. *Arch Intern Med* 2008;168:1783-90. (Cost-Effectiveness Analysis)

National Consensus Project. Clinical Practice Guidelines for Quality Palliative Care. Third Edition. 2013. (Guideline)

National Consensus Project for Quality Palliative Care. Clinical Practice Guidelines for Quality Palliative Care, 4th edition. Richmond, VA: National Coalition for Hospice and Palliative Care; 2018.

Norris K, Strohmaier G, Asp C, Byock I. Spiritual care at the end of life. Health Progress July-August 2004.

Periyakoil V, Kraemer HC, Noda A. Measuring grief and depression in seriously ill outpatients using the palliative grief depression scale. *J Palliat Med* 2012;15:1350-55.

Phillip J, Smith WB, Craft P, Lickiss N. Concurrent validity of the modified Edmonton symptom assessment system with the Rotterdam symptom checklist and the brief pain inventory. *Support Care Cancer* 1998;6:539-41. (Low Quality Evidence)

Post SG, Puchalski CM, Larson DB. Physicians and patient spirituality: professional boundaries, competency, and ethics. *Ann Intern Med* 2000;132:578-83. (Low Quality Evidence)

Prendergast TJ. Advance care planning: pitfalls, progress, promise. *Crit Care Med* 2001;29:N34-N39. (Low Quality Evidence)

Ptacek JT, Eberhardt TL. Breaking bad news: a review of the literature. *JAMA* 1996;276:496-502. (Low Quality Evidence)

Puchalski C, Ferrell B, Virani R, et al. Improving the quality of spiritual care as a dimension of palliative care: the report of the consensus conference. *J Palliative Med* 2009;12:885-904.

Puchalski C, Romer AL. Taking a spiritual history allows clinicians to understand patients more fully. *J Palliat Med* 2000;3:129-37. (Low Quality Evidence)

Quill TE, Abernethy AP. Generalist plus specialist palliative care – creating a more sustainable model. *N Eng J Med* 2013;368:1173-175

Reed PG. Spirituality and well-being in terminally ill hospitalized adults. *Res Nurs Health* 1987;10:335-44. (Low Quality Evidence)

Reljic T, Kumar A, Klocksieben FA, Djulbegovic B. Treatment targeted at underlying disease versus palliative care in terminally ill patients: a systematic review. *BMJ Open* 2017;7:e014661.

Richardson P. Spirituality, religion and palliative care. Ann Palliat Med 2014;3:150-59.

Scheunemann LP, Arnold RM, White DB. The facilitated values history: helping surrogates make authentic decisions for incapacitated patients with advanced illness. *Am J Respir Crit Care Med* 2012;186:480-86. (Low Quality Evidence)

Schneiderman LJ, Gilmer T. Teetzel HD, et al. Effect of ethics consultations on nonbeneficial life-sustaining treatments in the intensive care setting: a randomized controlled trial. *JAMA* 2003;290:1166-72. (High Quality Evidence)

Searight HR, Gafford J. Cultural diversity at the end of life: issues and guidelines for family physicians. *Am Fam Phys* 2005;71:515-22. (Low Quality Evidence)

Shay LA, Lafata JE. Where is the evidence? A systematic review of shared decision making and patient outcomes. *Med Decis Making* 2015;35:114-31.

Sheldon F. ABC of palliative care: bereavement. BMJ 1998;316:456-58. (Low Quality Evidence)

Sherrill C, Smith M, Mascoe C, et al. Effect of treating depressive disorders on mortality of cancer patients. *Cureus* 2017;9:e1740.

Silveira MJ, Kim SYH, Langa KM. Advance directives and outcomes of surrogate decision making before death. *N Engl J Med* 2010;362:1211-18. (Low Quality Evidence)

Sinclair CT. Communicating a prognosis in advanced cancer. *J Support Oncol* 2006;4:201-04. (Low Quality Evidence)

Smith AK, Sudore RL, Pérez-Stable EJ. Palliative care for Latino patients and their families: whenever we prayed, she wept. *JAMA* 2009;301:1047-57. (Low Quality Evidence)

Smith S, Brick A, O'Hara S, Normand C. Evidence on the cost and cost-effectiveness of palliative care: A literature review. *Palliative Medicine* 2014;28:130-50.

Solloway M, LaFrance S, Bakitas M, Gerken M. A chart review of seven hundred eighty-two deaths in hospitals, nursing homes, and hospice/home care. *J Palliat Med* 2005;8:789-96. (Low Quality Evidence)

Steinhauser KE, Christakis NA, Clipp EC, et al. Factors considered important at the end of life by patients, family, physicians, and other care providers. *JAMA* 2000;284:2476-82. (Low Quality Evidence)

Steinhauser KE, Voils CI, Clipp EC, et al. "Are you at peace?" *Arch Intern Med* 2006;166:101-05. (Low Quality Evidence)

Stiggelbout AM, Pietrerse AH, DeHaes JC. Shared decision making: Concepts, evidence, and practice. *Patient Educ Couns* 2105;98:1172-79.

Strickland JM, Huskey AG. Palliative care. Pharmacotherapy Self-Assessment Program, 5thxw Edition. 2004:191-214. (Low Quality Evidence)

Stroebe MS, Folkman S, Hansson RO, Schut H. The prediction of bereavement outcome: Development of an integrative risk factor framework. *Soc Sci Med* 2006;62:2440-51.

Sulmasy LS, Bledsoe TA, for the ACP Ethics, Professionalism and Human Rights Committee. American College of Physicians Ethics Manual: Seventh Edition. *Ann Intern Med* 2019;170:S1–S32.

SUPPORT Principal Investigators, The. A controlled trial to improve care for seriously ill hospitalized patients: the study to understand prognoses and preferences for outcomes and risks of treatments (SUPPORT). *JAMA* 1995;274:1591-98. (Low Quality Evidence)

Taylor P, Dowding D, Johnson M. Clinical decision making in the recognition of dying: a qualitative interview study. *BMC Palliative Care* 2017;16:1-11.

Temel JS, Greer JA, El-Jawahri, et al. Effects of early integrated palliative care in patients with lung and GI cancer: A randomized clinical trial. *J Clin Oncol* 2017;35:834-41.

Temel JS, Greer JA, Muzikansky A, et al. Early palliative care for patients with metastatic non-small-cell lung cancer. *N Engl J Med* 2010;363:733-42. (High Quality Evidence)

VandeCreek L, Burton L. Professional chaplaincy: its role and importance in health care. 2001. (Low Quality Evidence)

Vandekieft GK. Breaking bad news. *Am Fam Phys* 2001;64:1975-78. (Low Quality Evidence)

Vuksanovic D, Green H, Morrissey S, Smith S. Dignity therapy and life review for palliative care patients: A qualitative study. *J Pain Symptom Manage* 2017;54:530-37.

Wang CW, Chan CLW, Chow AYM. Social workers' involvement in advance care planning: a systematic narrative review. *BMC Palliat Care* 2017;17:5.

Weissman DE, Meier DE. Identifying patients in need of a palliative care assessment in the hospital setting: a consensus report from the center to advance palliative care. *J Palliat Med* 2011;14:17-23. (Low Quality Evidence)

Werth Jr JL, Gordon JR, Johnson Jr RR. Psychosocial issues near the end of life. *Aging Ment Health* 2002;6:402-12. (Low Quality Evidence)

WHO. Palliative care. 19 February 2018.

Yeager KA, Bauer-Wu S. Cultural humility: essential foundation for clinical researchers. *Appl Nurs Res* 2013;26:251-56.

Zhang B, Nilsson ME, Prigerson HG. Factors important to patients' quality of life at the end of life. *Arch Intern Med* 2012;172:1133-42. (Low Quality Evidence)

Zier LS, Burack JH, Micco G, et al. Surrogate decision makers' response to physicians' predictions of medical futility. *CHEST* 2009;136:110-17. (Low Quality Evidence)